## PRODUCTS CATALOG

**WHOLESALE - PROJECTS** 

**MANHOLE & DRAIN COVERS** الرة الرزوني GRP \ CAST IRON \ DUCTILE IRON

WOODEN DOORS & WPC DOORS STEEL DOORS

**GRP SECTIONAL TANKS** 

**GLS WATER TANKS** 

**GRP PIPES & FITTINGS** 








CONTACT US

SALES@BLUECIRCLE.SA

### **MANHOLE & DRAIN COVERS**

#### **GRP \ CAST IRON \ DUCTILE IRON**

- Manhole and Drain Covers
  GRP\FRP & Cast Iron & Ductile Iron & Aluminum
- Tree Grating Covers
  GRP\FRP & Cast Iron & Ductile Iron & Aluminum
- Meshed Grating Covers
  GRP\FRP & Cast Iron & Ductile Iron & Aluminum
- Checkered Plate
  GRP\FRP & Cast Iron & Ductile Iron & Aluminum
- GRP SMC Fiberglass Handhole (Manholes)



#### **GRP SECTIONAL TANKS**

This Type of Panel Tank Consists of Several Hot-Pressed GRP Panels Which Are Bolted Together to Tank Walls Which Has Good Durability In Any Design Method.

These Plate Tanks Are Mainly Designed So That Size of Tank Is too Large to be Manufactured as A Cylindrical or Conventional Tank or Can be Transported Safely or Easily to Destination.

Most Common Application for Plate Tanks Is Water Tanks Whether for Small Residential Units or Large Industrial Complexes.

Panel Tanks are Usually Square or Rectangular Shape.



#### **GRP PIPES & FITTINGS**

GRP Pipes are Filament Wound on A Fixed Length, Rotating Mandrel.

This Process of Manufacture Enables Continuous Glass Fiber Filaments to be Placed Precisely at Desired Angle, Forming A Double Helix Pattern, to Provide the Customer with Exact Product for this Application.

Resin Systems Used in Process are Chosen for Particular Application

Inner Liner of Pipe Is Applied by Hand and Allowed to Gel, so that It Can be Inspected Before Structural Helical Winding Begins

this Process Ensures the Highest Quality of the Important Corrosion Resistant Liner.



#### **GLS\GFS WATER TANKS**

Glass Fused to Steel Tank Panels is Lined Inside and Outside with Glass Enamel.

Enamel is a Solid, Smooth and Shiny Cover of Silicate. It is Fused in Special Furnace Having Temperature Ranges from 780 to 900 Degree Celsius.

Steel Rounded (cylinder) Shell of Tank is Built from two-Layer Glass-Fused Sheet Coated on Both Sides. Sheets are Attached with Special High-Grade Bolts and Sealed by Constantly Flexible Silicones (Sealants).

GFS/GLS Tanks are Also a Fundamental Building Element of Environmental technological facilities such as Waste Water Treatment, Fire Fighting Water Storage and Anaerobic Digester Tank









#### **WOODEN Doors & WPC Doors & STEEL Doors**

Doors Products of All Kinds, Steel Doors, Wooden Doors, Fire Doors Armored Doors, UPVC Doors, Villa Doors, WPC Doors, Smart Lock and We Taking Care to Provide Market with Comprehensive Door Solution and we Offer Different Price Categories with Large Variety of Colors, Designs and Decorations













# BLUE CIRCLE TRADING PRODUCTS CATALOG



RIYADH - SAUDI ARABIA COMMERCIAL REGISTER 1010946372 VAT NUMBER: 310186492100003



